

General use

Abamectin is an insecticide and acaricide with contact and stomach action. Control of motile stages of mites, leaf miners, suckers, Colorado beetles, etc. on ornamentals, cotton, citrus fruit, pome fruit, nut crops, vegetables, potatoes, and other crops.

Direction for use

Main Crops	Typical Pests	Dosage	PHI
Crucifers vegetable	Diamondbac k moth	500-750ml/ha	7d
Apple	Liriomyza sativae	750-1000ml/ha	14d

Compatibility:

Incompatible with: captan. May be phytotoxic to pome fruit when mixed with captan.

Principle uses

Abamectin is used to control insect and mite pests of a range of agronomic, fruit, vegetable and ornamental crops, and it is used by homeowners for control of fire ants. Abamectin is also used as a veterinary antihelmintic. Resistance to abamectin based antihelmintics, although a growing problem is not as common as to other classes of veterinary antihelmintics.



Abamectin 1.8% EC Insecticide

Ingredient w/v
Abamectin1.8%
Inert Ingredients.....Up to 100%
Batch No: Net contents:
Manuf. date: Shelf life: 2 YEARS

Caution



Protective clothing to be worn

When mixing or applying, wear overalls, chemical resistant boots and gloves, head covering, eye protection and respirator (organic vapor and particulate matter). Clean protective clothing daily after work. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

Precaution statement

May be fatal if swallowed. Causes substantial but temporary eye injury. Cause skin irritation. Do not get in eye, on skin, or on clothing. Harmful if inhaled or absorbed through the skin. Prolonged

or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid breathing spray mist.

Storage and disposal

Store this product in a cool, dry, locked place out of reach of children.

Dispose of container to an approved landfill or agricultural recycling scheme. Do not burn. Do not use container for any other purpose.

First aid

Halation: Move to fresh air, clean up, and rest. Give artificial respiration if necessary. Contact Poison Centre or physician immediately.

Eyes: Immediately rinse eyes with a large amount of running water, holding eyelids apart to rinse the entire surface of the eye and lids. Obtain medical attention.

Ingestion: If victim is fully conscious, give 2-3 glasses of water to dilute, and get immediate medical attention. Never give anything by mouth or induce vomiting in a person who is unconscious or convulsing.

Skin: Immediately remove contaminated clothing and wash skin, hair and fingernails thoroughly with soap and water.

Manufacturer: Shanghai Tenglong Agrochem Co., Ltd.

Add: Yangpu building 24B, No.2005, Huangxing Road, Yangpu Shanghai