General information

Acetochlor is one of selective herbicide, absorbed mainly by the shoots and secondarily by the roots of germinating plants.

Direction for use

Using spray method to control weed, 750-1050g/ha.

Compatibility:

Incompatibility with other materials: None

Principle uses

Used pre-emergence or pre-plant to control annual grasses, certain annual broad-leaved weeds and yellow nutsedge in maize, peanuts, soya beans, cotton, potatoes and sugar cane.

Personal Protective Equipment:

Eye/face protection: chemical safety glasses, goggles or a face shield.

Hand/skin protection: impervious gloves, footwear, long-sleeved clothing, wide brimmed hat and head covering

Other protection: An adequate supply of clean potable water should be available to allow thorough flushing of skin and eyes in event of contact with these compounds.



Acetochlor 50% EC

Herbicide

Ingredient	w/v
Acetochlor	
Inert Ingredients	
Batch No:	Net contents:
Manuf. date:	Shelf life: 2 YEARS



KEEP OUT OF REACH OF CHILDREN HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Protective precautions:

Remove contaminated work clothing and launder after each shift. Workers should shower at the end of each shift. Work clothing should be laundered separate from other garments. Do not eat, drink or smoke while handing.

Wash the used equipment and your hands thoroughly immediately with soap and water after handing.

Storage and Disposal

Store in the closed, original container in a dry, cool, well-ventilated area. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Store in locked room or place away from children, animals, food, animal feed, seed and fertilizers. Dispose of in an approved manner (consult local

authority) only as a last resort. Otherwise, apply according to label instructions.

First aid:

Skin contact: immediately flush eyes or skin with copious amounts of water for at least 15 minutes while removing contaminated clothing and shoes.

Eye contact: immediately flush the eyes with large quantities of running water for a minimum of 15 minutes. Seek the doctor for medical attention.

If Swallowed: wash out mouth with water provided person is conscious. Induce vomiting. Obtain medical attention immediately.

If Inhaled: remove victim to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Consult medical personnel.

Manufacturer:

Shanghai Tenglong Agrochem Co., Ltd. Add: Yangpu building 24B, No.2005, Huangxing Road, Yangpu Shanghai