

### General information

Carbendazim is a systemic benzimidazole fungicide with protective and curative action. Absorbed through the roots and green tissues, with translocation acropetally. Acts by inhibiting development of the germ tubes, the formation of appressoria, and the growth of mycelia. It used to control a broad range of diseases on arable crops (cereals, oilseed rape), fruits, vegetables and ornamentals. It is also used in post-harvest food storage, and as a seed pre-planting treatment.

### Direction for use

Mix 1L of this product with 100-200L water. Spray this product onto leaves and stems of weeds during the early stage of fungal disease. And better spray during warm temperature. Do not spray after wind or before raining.

Dosage: 0.1-0.3 kg/ha generally.

### Compatibility:

Incompatibility with: strong acids, strong bases, strong oxidising agents.

### Restriction for use

Do not apply this product more than three times per crop season in order to prevent fungi resistance. Do not mix use with alkali pesticides or fertilizers.



## Carbendazim 500 SC Fungicide

Ingredient	w/v
Carbendazim.....	500 g/L
Inert Ingredients.....	add to 1L
Batch No:	Net contents:
Manuf. date:	Shelf life: 2 YEARS



**KEEP OUT OF REACH OF CHILDREN!**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION! May cause eye damage. Harmful if swallowed or inhaled. May cause skin irritation. Do not get in eyes, on skin or on clothing.

### Protective precautions:

**Ingestion:** Avoid eating, drinking, smoking or cosmetic application.

**Eyes:** To avoid eye contact, wear chemical goggles or a full face shield.

**Skin:** To avoid skin contact, wear full-length

disposable protective clothing, waterproof boots, nitrile gloves, and a head covering.

**Inhalation:** To avoid breathing vapor or mist, wear an approved supplied air respirator or self-contained breathing apparatus.

### Storage and Disposal

Store this product in a cool, dry, locked place out of reach of children.

Residues in containers should be emptied in a diluted form into a deep pit, taking care to avoid contamination of ground waters. The empty container may be decontaminated by rinsing two or three times with water and scrubbing the sides.

### First aid:

**In halation:** Remove to fresh air.

**In eyes:** Immediately flush with plenty of water. Continue for at least 15 minutes.

**Ingestion:** Immediately offer water to drink. Do not induce vomiting. Get medical attention.

**On skin:** Take off contaminated clothing, immediately wash affected skin with plenty of water.

### Manufacturer:

Shanghai Tenglong Agrochem Co., Ltd.

**Add:** Yangpu building 24B, No.2005, Huangxing Road, Yangpu Shanghai