

### General information

Chlorpyrifos is a broad-spectrum organophosphate insecticide with contact, stomach, and respiratory action. Its moderate toxicity used for control of cutworms, corn rootworms, cockroaches, grubs, flea beetles, flies, termites, fire ants, grain, cotton, field, fruit, nut and vegetable crops.

### Direction for use

Crop	Target	Dosage	Method
Citrus	Scale insect	1000-1500 times	Spray
Leek	Leek maggot	3-4.35l/ha	Spray
Rice	Borer Planthopper	0.9-1.2l/ha 1.05-1.25l/ha	Spray
Wheat	Aphid	0.23-0.38l/ha	Spray

### Compatibility:

**Incompatible with:** Avoid to use with copper agents, alkaline agents and alkaline materials (such as Bordeaux mixture, calcium sulfide, etc).

### Principle use

Do not apply this product more than twice per crop season and PHI  $\geq$  7d.

Chlorpyrifos is highly toxic to honeybees, so ban to use during flowering of nectariferous plant.

DO NOT use for the management of mulberry field and silkworm field.



## Chlorpyrifos 480 EC Insecticide

Ingredient w/v  
Chlorpyrifos.....480g/L  
Inert Ingredients.....to 1L  
Batch No: Net contents:  
Manuf. date: Shelf life: 2 YEARS



**CAUTION!** Cause irreversible eye damage. Harmful if swallowed or inhaled. Maybe cause skin irritation. Do not get in eyes, on skin or on clothing.

### Poisoning Symptoms:

Nausea, headache, tiredness, giddiness, blurred vision and pupillary constriction, vomiting, abdominal pain, diarrhoea, sweating and salivation.

### Antidote: atropine

### Protective precautions:

Wear elbow-length PVC gloves, chemical-resistant footwear plus socks, protective

eyewear, and chemical-resistant headgear for overhead exposure.

### Storage and disposal:

Keep locked up. Keep container tightly closed. Keep only in the original container in a cool, well-ventilated place.

Residues in containers should be emptied in a diluted form into a deep pit taking care to avoid ground waters. The empty container may be decontaminated by rinsing two or three times with water and scrubbing the sides. An additional rinse should be carried out with 5% sodium hydroxide solution which should remain in the container overnight.

### First aid:

**In halation:** Remove to fresh air.

**In eyes:** Immediately flush with plenty of water. Continue for at least 15 minutes.

**Ingestion:** Induce vomiting only if victim is conscious. Never give anything by mouth to an unconscious person. Wash out mouth with water. Immediately get medical attention.

**On skin:** Remove contaminated clothing, wash off with plenty of water and soap.

### Manufacturer:

Shanghai Tenglong Agrochem Co., Ltd.

**Add:** Yangpu building 24B, No.2005, Huangxing Road, Yangpu Shanghai