

### General information

Dimethoate 40%EC is a systemic organophosphate insecticide and acaricide with contact and stomach action, is particularly suitable for the control of a wide range of sucking and chewing pests including aphids, whiteflies and mites

### Direction for use:

Crop	pests	Rate of use	Application
Rice	Plant hopper, leafhopper, rice borer	540-600g/ha	Spraying
Orange tree	Acrid, aphid, Lepidoptera larvae	Dilution: 800-1600X	Spraying
Vegetable	Acrid, aphid	450-600g/ha	Spraying
Cotton	Acrid, aphid	450-600g/ha	Spraying
Sweet potato	Leaf beetle	Dilution: 2000X	Trapping

### Compatibility:

Incompatible with alkaline pesticides



## Dimethoate 40% EC Insecticide

Ingredient	w/v
Dimethoate.....	40%
Inert Ingredients.....	60%
Batch No:	Net contents:
Manuf. date:	Shelf life: 2 YEARS



**CAUTION!** Cause irreversible eye damage. Harmful if swallowed or inhaled. Maybe cause skin irritation. Do not get in eyes, on skin or on clothing.

### Principle uses

Dimethoate 40%EC is used to control Hemiptera, Lepidoptera, Thysanoptera, Coleoptera, Diptera and Acari. Dimethoate 40%EC is used against a wide range of insects including aphids, thrips, plant hoppers, whiteflies and mites on ornamental plants, cowpeas, soybeans, groundnuts, cotton, corn, maize, sorghum, millet, potatoes, yam, lemons, oranges, pears, sunflowers and other vegetables.

**Antidote: atropine**

### Protective precautions:

Avoid breathing vapors or spray mist.

Avoid contact with eyes, skin or clothing.

Wear protective clothing and gloves and goggles, wear eyewear.

Do not eat, drink or smoke while handling.

Wash the used equipment and your hands thoroughly immediately with soap and water after handling.

### Poisoning Symptoms:

A feeling of exhaustion, headache, blurred vision, weakness, and confusion. Vomiting, abdominal pain, excessive sweating, and salivation may develop.

### First aid:

If swallowed, induce vomiting, preferably using Ipecac Syrup APF, and give one atropine tablet every 5 minutes until dryness of mouth occurs.

If poisoned by skin absorption or through lungs, every 5 minutes until dryness of mouth occurs

If poisoned by skin absorption or through lungs, remove any contaminated clothing, wash skin thoroughly and give atropine tablets as above. Get to a doctor or hospital quickly.

### Manufacturer:

Shanghai Tenglong Agrochem Co., Ltd.

**Add:** Yangpu building 24B, No.2005, Huangxing Road, Yangpu Shanghai