General information

Imidacloprid is one of systemic insecticide with translaminar activity and with contact and stomach action. Readily taken up by the plant and further distributed acropetally, with good root-systemic action.

Direction for use

Crop	pests	Rate of use	Application
Rice	planthopper,	15-30g/ha	Spraying
	aphids,		
	thrips		
Vegetable	aphids	22.5-30g/ha	Spraying

Compatibility:

Incompatibility with: alkaline pesticides.

Principle uses

Imidacloprid 10% WP is used to control of sucking insects, including rice-, leaf- and planthoppers, aphids, thrips and whitefly. Also effective against soil insects, termites and some species of biting insects, such as rice water weevil and Colorado beetle. Has no effect on nematodes and spider mites. Used as a seed dressing, as soil treatment and as foliar treatment in different crops, e.g. rice, cotton, cereals, maize, sugar beet, potatoes, vegetables, citrus fruit, pome fruit and stone fruit. PHI≥14 Days. Do not use exceed two times in every season.



Imidacloprid 10% WP

Insecticide

Ingredient	w/v
Imidacloprid	
Inert Ingredients	90%
Batch No:	Net contents:
Manuf. date:	Shelf life: 2 YEARS



KEEP OUT OF REACH OF CHILDREN HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION! Maybe cause skin irritation. Maybe cause eyes irritation. Do not get in eyes, on skin or on clothing.

Protective precautions:

Avoid contact with eyes, skin or clothing.

Wear protective clothing and gloves and goggles, wear eyewear.Do not eat, drink or smoke while handing. Wash the used equipment and your hands thoroughly immediately with soap and water after

handing.

Storage and Disposal

Store in a cool, dry place. Store the product in original container only, away from other pesticides, fertilizers, food, or feed. Do not contaminate water, food or feed. Store in locked room or place away from children.

Dispose of in an approved manner (consult local authority) only as a last resort. Otherwise, apply according to label instructions.

First aid:

If inhaled: Move person to fresh air. If person is not breathing, call 120 or an ambulance, seek medical attention.

If ingestion: Drink plenty of water. Do not induce vomiting without medical advice. Consult a physician.

If on skin: Remove contaminated clothing. Wash skin and hair thoroughly; do two soap and water washings. Wash skin and contained clothes with soap and copious amounts of water.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Ask doctor for treatment advice.

Manufacturer:

Shanghai Tenglong Agrochem Co., Ltd.

Add: Yangpu building 24B, No.2005, Huangxing Road, Yangpu Shanghai