

General information

Paraquat 20%SL is a quaternary nitrogen herbicide widely used on tea, oil palm, banana, citrus, cotton, maize rice soybean, orchards, vineyards, etc. to control broadleaf weed. It is a quick acting, non-selective compound, that destroys green plant tissue on contact and by translocation within the plant. It is also used as a crop desiccant and defoliant, and as an aquatic herbicide.

Direction for use

Crop	Weed	Rate
Rice	Annual grass and broadleaf weed control	Pre sowing 1.6 L
		Post sowing to pre-emergency 800 mL
Non-Agricultural situations, around sheds, roadways, paths	Annual weed control	1.6 to 4 L/ha OR 200 mL/100
	Columbus Grass	Spot Spraying 160 mL/100 L plus 1 L 'Frenock' Boomspray 2.3 to 4.5 L/ha plus 12 to 22 L 'Frenock'



Paraquat 20% SL Herbicide

Active Ingredient w/w
Paraquat20%
Inert ingredients.....80%
Batch No: Net contents:
Manuf. date: Shelf life: 2 YEARS



**KEEP OUT OF REACH OF CHILDREN
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS**

Protective precautions

Will irritate the nose, throat and skin. Avoid contact with eyes, skin and clothing. When opening the container and preparing for use wear: **elbow-length PVC gloves and face shield or goggles.** Avoid contact with spray mist. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water, and wash all equipment after using.

Storage and Disposal

Storage: Store in original container. Keep tightly closed in a cool safe place with adequate ventilation. Protect from heat, sparks and flame. Keep out of the reach of children and away from food. Do not expose sealed containers to temperatures above 40 Deg. C.

Observe all federal state and local environmental regulations. Permitted for hazardous waste.

First aid

If Ingestion: SPEED IS ESSENTIAL. Immediate medical attention is required. If available, give an adsorbent such as activated charcoal, bentonite or Fuller's Earth. Do not give anything by mouth to an unconscious person. Seek the doctor.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If inhalation: Move person to fresh air. Call a poison control center or doctor for further treatment advice.

Manufacturer:

Shanghai Tenglong Agrochem Co., Ltd.

Add: Yangpu building 24B, No.2005, Huangxing Road, Yangpu Shanghai